

## INDEX TO ECOLOGICAL APPLICATIONS, VOLUME 3, 1993

### A

- Aber, J. D., 156, 459  
aboveground biomass, 175, 644  
abundance, 506  
acid deposits, 409  
acidic deposition, 473  
adaptive management, 213  
aggregation of by-catch, 221  
agricultural runoff, 446  
agroecology, 74, 271  
agroecosystem redesign, 39  
agroecosystems, 10  
allelopathy, 92  
alpine, subalpine and spruce forest zones, 409  
*Amaranthus retroflexus*, 74  
ammonium, 315  
*Andropogon gerardii*, 644  
*Andropogon virginicus*, 167  
Angora goats, 497  
apparent competition, 699  
application of research, 2  
applying ecological results, 37  
aquaculture, 230  
aquatic biodiversity, 230  
aquatic microcosm, 139  
Arctic, 622  
Argentine pampas, 17  
Arita, H. T., 506  
artificial propagation, 230  
assessment, 123  
atmospheric deposition, 473  
Auen, L. M., 644

### B

- Baccharis*, 417  
BACI statistical analysis, 331  
Bain, M. B., 531  
Baltz, D. M., 246  
bark beetles, 187  
Bartolome, J. W., 27  
basal area, 743  
bats, 506  
Bazzaz, F. A., 315  
beaver, 518  
Bell, S. S., 610  
belowground biomass, 175  
belowground habitats, 202  
Belsky, A. J., 2  
Bence, J. R., 331  
benefits of grazing, 17  
Bhat, M. G., 518  
big bluestem grass, 749  
bioavailability, 139  
biocontrol, 699  
biodiversity, 201, 209, 294, 385, 481  
bioeconomic model, 518  
biogeography, 385, 736  
bioindicators, 622  
biological control, 42, 682  
biological growth functions, 743  
biome, 369, 385  
biphasic plant growth response, 10  
birch, 315  
bird damage, 256  
bird repellent, 262  
bird species richness, 357  
birds, 322

### bison, 631

- body mass, 506  
Boone, R. D., 156  
Borth, P. W., 719  
Botkin, D. B., 595  
Bowden, R. D., 156  
breeding dynamics, 230  
breeding success, 230  
Breshears, D. D., 590  
brine flies, 595  
brine shrimp, 595  
Briske, D. D., 24  
Brown, J. H., 736  
Brugger, K. E., 256  
Bureau of Land Management, 218  
Burgundy, 377  
buried seed, 682

### C

- <sup>11</sup>C technology, 654  
California, 123, 331, 417, 595  
*Capri hircus*, 497  
captive breeding, 230  
carrying capacity, 743  
cations, 459  
cattle, 631  
cattle grazing, 175  
Cedar Creek Natural History Area, 749  
CENTURY model, 666  
certainty or uncertainty, 719  
chaparral, 417  
*Chenopodium album*, 74  
Chile, 417  
Clark, L., 262  
classification of rarity, 506  
Clean Water Act, 218  
clearcuts, 357  
Clements, L. A., 610  
climate, 279  
climatic change, 385  
CO<sub>2</sub>, 404, 644  
CO<sub>2</sub> enrichment, 666  
CO<sub>2</sub> response, 666  
coarse filters, 218  
Coleman, D. C., 654  
Collembola, 409  
Collins Johnson, N., 749  
colonization, 417  
Comins, H. N., 666  
common cocklebur, 84  
community ecology, 736  
community structure, 246, 736  
compensation and overcompensation, 30  
compensatory growth, 2, 21, 24, 32, 35  
conservation, 221, 230, 481  
conservation strategies, 213  
copper toxicity, 139  
cordgrass, 123  
corn, 74  
corn rootworm, 719  
cost of reproduction, 271  
Costanza, R., 579  
Coyne, P. I., 644  
Crabtree, R. C., 315  
Craft, C. B., 446  
crop breeding, 271  
crop rotation, 92  
crop trees, 708

### Crow, T. R., 294

- Crumley, C. L., 377  
culture, 377  
cultured fish, 230

### D

- Daily, G. C., 558  
*Daphnia magna*, 139  
DeAngelis, D. L., 30  
debarking, 708  
defoliation, 271  
defoliation intensity, 175  
defoliation responses, 21  
degradation of grazed systems, 24  
*Dendroctonus frontalis*, 187  
design of conservation reserves, 202  
detection, 351  
deterioration resistance mechanisms, 42  
*Diabrotica barberi*, 719  
diet quality, 631  
diet selection, 497  
diffusion, 187  
diffusion externality, 518  
digestion, 256  
dispersal, 187  
dissection of ecotones, 396  
dissolved organic carbon (DOC), 139  
distribution, 506  
distribution of dispersal distances, 187  
distribution of emergent cover and open water, 279  
disturbance, 294, 441, 531  
diversification, 92  
diversionary food, 708  
Dixon, J. D., 331  
Dodd, J. L., 631  
domestic grazers, 24  
domestication, 271  
Douglas-fir, 743  
dry deposition, 459  
Dyck, E., 39, 92  
Dyer, M. I., 10, 175, 654  
dynamics, 369  
Décamps, H., 209, 441

### E

- ecological risk, 719  
ecological strategies for weed management, 39  
ecosystem, 213, 409, 622  
ecosystem classification, 206  
ecosystem recovery, 139  
ecotone, 369, 377, 385, 396, 409, 417, 424  
ecotones as landscape boundaries, 367  
edge effect, 357  
effect size, 331  
effectivity, 749  
effluent, 331  
Ehrlich, P. R., 558  
elevated CO<sub>2</sub>, 644  
elevation, 459  
elk, 35  
Ellis, J. M., 459  
emergence, 53  
empirical models, 307  
endangered species, 123, 351, 506

Endangered Species Act, 206, 218  
 English-Loeb, G. M., 699  
 environmental change, 377  
 environmental degradation, 622  
 environmental impact assessment, 331  
 environmental impacts, 595  
 environmental management tools, 719  
 environmental variation, 595  
 Eradat-Oskouie, K., 74  
 European climate history, 377  
 European Starlings, 256  
 expert panels, 595  
 extractable soil nitrogen, 156

**F**

feeding damage, 708  
 feeding habits, 506  
 Fernandez, I. J., 473  
 fertilization, 749  
 fish communities, 531  
 Fleming, I. A., 230  
 Florida, 610  
 Florida Everglades, 446  
 fluvial ecosystems, 209  
 fluxes, 424  
 foliar chemistry, 156  
 food habits, 631  
 forage selection, 631  
 foraging behavior, 631  
 foraging effort, 497  
 Forcella, F., 74  
 forest canopies, 202  
 forest canopy processes, 473  
 forest damage, 518  
 forest density, 743  
 forest ecology, 473  
 forest fragmentation, 357  
 forest insects, 187  
 forest management, 213, 708  
 forest production, 666  
 Forest Service, 218  
 forest yield, 743  
 forested ecosystems, 10  
 Franklin, J. F., 202  
 Freckman, D. W., 654  
 frequency, 175  
 freshwater biodiversity, 218  
 freshwater wetland, 446  
 frugivory, 262  
 fruit, 256, 262  
 Fuentes, E. R., 417, 576  
 functional equivalency, 610  
 fungal communities, 749

**G**

Garman, S. L., 481  
 Gaussian sequential simulations, 719  
 geographic information system (GIS), 279,  
 294, 377, 459  
 geostatistics, 424, 719  
 girdling, 708  
 Gjerstad, D. H., 167  
 global warming, 404  
 Glover, G. R., 167  
 Gosz, J. R., 369  
 gradients, 531  
 grapevines, 699  
 grasshopper grazing, 654  
 grassland, 30, 417

grassland ecosystem 10, 37  
 grassland primary production, 37  
 grazing, 30, 32, 35, 37  
 grazing avoidance vs. tolerance, 21  
 grazing management, 24  
 grazing optimality, 10  
 grazing optimization hypothesis, 24  
 grazing resistance, 21  
 grazing systems, 27  
 grazing theory, 1  
 grebes, 595  
 Green, R. H., 351  
 Green, T. H., 167  
 Gross, M. R., 230  
 groundwater, 307  
 gulls, 595

**H**

habitat, 385, 481  
 habitat evaluation criteria, 123  
 habitat heterogeneity, 497  
 habitat protection, 206  
 habitat restoration, 610  
 habitat use, 531  
 Hakonson, T. E., 590  
 Ham, J. M., 644  
 Hansen, A. J., 481  
 hatcheries, 230  
 heavy grazing, 17  
 Helfman, G. S., 569  
 hemlock-hardwoods, 294  
 herb diversity, 417  
 herb-shrub interactions, 417  
 herbicides, 39  
 herbivore, 30  
 herbivore optimization, 2, 35  
 herbivore optimization theory, 30  
 herbivory, 30, 32, 271, 682  
 herbivory feedbacks, 10  
 heroic megafauna, 202  
 hierarchical ecological levels, 21  
 hierarchical levels, 30  
 hierarchy, 369  
 high-seas driftnets, 221  
 Hilborn, R., 550  
 historical analogues, 377  
 history, 175  
 Hofman, R. J., 573  
 holistic resource management, 2  
 Holling, C. S., 552  
 Hougen-Eitzman, D., 699  
 Huffaker, R. G., 518  
 human processes affect ecotones, 367  
 human-environment relations, 377  
 humus substances, 409  
 Hunter, M. L., Jr., 357  
 Huston, M. A., 30  
 hydroelectric dams, 531  
 hydrologic connectivity, 209  
 hydrology, 307, 446  
 hyporheic zones, 202

**I**

incomplete data, 736  
 indicator sequential simulations, 719  
 indirect effects, 699  
 induced resistance, 699  
 industrial pollution, 622  
 inferencing systems, 213

**J**

Johnson, W. C., 279

Johnston, C. A., 424

Jordan, N., 84

**K**

Kansas, 644  
 Karban, R., 699  
 Kastendiek, J., 331  
 kelp forest invertebrates, 331  
 Kinsolving, A. D., 531  
 Klenner, W. E., 708  
 Knapp, A. K., 644  
 Kodric-Brown, A., 736  
 Konza Prairie Research National Area,  
 175  
 Kremer, R. J., 42  
 Kryuchkov, V. V., 622  
 Kurdziel, J., 610

**L**

landscape, 209, 441, 631  
 landscape and gap models, 481  
 landscape connectivity, 202  
 landscape ecology, 213, 294, 357, 377,  
 481  
 landscape matrix, 202  
 landscape structure, 294  
 Lathrop, R. G., 459  
 law of constant final yield, 743  
 Lawrence, G. B., 473  
 leaf growth, 404  
 learned aversion, 262  
 Lee, K. N., 560  
 Lenhart, S. M., 518  
 Leslie matrix, 322  
 Letters to the Editor, 590  
 Levin, S. A., 1, 201, 545  
 Liebman, M., 39, 92  
 life cycle, 682  
 life history trade-offs, 271  
*Liquidambar styraciflua*, 167  
 livestock grazing, 2, 27  
 livestock husbandry, 17  
 lodgepole pine, 708  
 logistic growth theory, 743  
*Longitarsus jacobaeae*, 682  
 Lovett, G. M., 459  
 Ludwig, D., 550, 555  
*Lycopersicon esculentum*, 271

**M**

macroinfauna, 610

Magill, A., 156  
 Maine, 357  
 management of natural areas, 631  
 management of public land, 2  
 managing natural resources, 37  
 Mangel, M. S., 221, 573  
 Marks, B., 481  
 marsh, 123  
 Martinez, E., 417  
 Mason, J. R., 262  
 matorral, 417  
 maximization of production, 175  
 McEvoy, P. B., 682  
 McMurtrie, R. E., 666  
 McNaughton, S. J., 17, 654  
 McPherson County, South Dakota, 631  
 Meador, J. P., 139  
 measurements of ecotone change, 367  
 measurements of ecotone location, 367  
 mediterranean-type ecosystems, 417  
 Melillo, J. M., 156  
 methyl anthranilate, 262  
 Meyer, J. L., 569  
 Michigan, 294  
 microbial ecology, 42  
 Millham, S. E., 459  
 misinterpreting research results, 2  
 missing data, 736  
 Mitchell, R. J., 167  
 mitigation, 123  
 mixed cattle and elk grazing, 35  
 Mladenoff, D. J., 294  
 model, 187  
 modelling, 322, 385, 396, 404, 666  
 models of ecotone processes, 367  
 Mohler, C. L., 53  
 molluscs, 351  
 monitoring climate change, 396  
 Mono Lake, 595  
 monoculture, 92  
 Monte Carlo, 719  
 Mooney, H. A., 564  
 Moore, J. A., 743  
 Morrison, M. L., 322  
 mountain ecology, 404  
 mowing, 175  
 Moyle, P. B., 246  
 multiple-use management, 481  
 multispecies management, 206  
 multivariate analyses, 654  
 Murden, S. B., 497  
 mutualists, 749  
 mycorrhizae, 654

## N

N mineralization, 156  
 Naiman, R. J., 209  
 National Forest Management Act, 218  
 National Parks and Wilderness Areas, 202  
 national wildlife refuges, 218  
 native grazing ecosystems, 17  
 natural communities, 218  
 natural enemy, 682  
 natural processes affect ecotones, 367  
 natural vs. planted marshes, 123  
 Neilson, R. P., 385  
 Newberry, J. D., 743  
 nitrate, 315  
 nitrification, 156

nitrogen, 175, 424, 459  
 nitrogen leaching, 156  
 Noble, I. R., 396  
 Nol, P., 256  
 nonchemical weed control, 84  
 nonlinear responses, 10  
 Norse, E. A., 573  
 northern mixed prairie, 631  
 northern right whale dolphin, 221  
 Northern Spotted Owls, 213  
 Noy-Meir, I., 32  
 nuclear power plants, 331  
 null models, 246  
 nutrient cycling, 666  
 nutrient limited, 666

## O

observer coverage, 221  
*Odocoileus virginianus*, 497  
 old growth, 294  
 old-growth forests, 206  
 Ollinger, S. V., 459  
 open coast, 331  
 operational application, 708  
 optimality principle, 518  
 Oregon watershed, 481  
 organic soil, 446  
 Orians, G. H., 206  
 overcompensation, 35, 37, 175  
 overgrazing, 2, 35  
 Owensby, C. E., 644

## P

Pacific Northwest, 481  
 Pacific salmon, 230  
 Painter, E. L., 2  
*Panicum coloratum* L., 654  
 parasites, 749  
 Pastor, J., 294  
 patch size, 357  
 path analysis, 84  
 Patten, D. T., 35, 595  
 Perry, M. A., 167  
 phalaropes, 595  
 Phillips, C. I., 256  
 phosphorus, 424  
 phytophagous nematodes, 654  
*Picoides borealis*, 213  
*Pinus contorta*, 708  
*Pinus taeda*, 167  
 Pitelka, F. A., 566  
 Pitelka, L. F., 566  
 plant communities, 409  
 plant fecundity, 682  
 plant fitness, 21  
 plant interference, 84  
 plant physiological status, 21  
 plant population dynamics, 682  
 plant survivorship, 682  
 plant-animal interactions, 24  
 plowing, 53  
 Plumb, G. E., 631  
*Poa pratensis*, 644  
 Poiani, K. A., 279  
 Poisson, 351  
 Policansky, D., 583  
 policy, 209  
 Pollock, M., 209  
 pollution, 331

polychaete, 610  
 population dynamics, 322, 699, 708  
 power, 351  
 power law, -3/2, or self-thinning rule, 743  
 prairie wetlands, 279  
 precipitation, 459  
 presence, 351  
 primary production, 30, 32, 156  
*Prosopis velutina*, 307  
 Protura, 409

## Q

quantifying uncertainty and risk, 719  
 quantitative measure of dispersal, 187

## R

*Rallus longirostris levipes*, 123  
 range management, 1, 2, 21, 27, 32  
 rangelands, 30  
 Raphael, M. G., 322  
 rare species, 351  
 rarity, 506  
 rates of ecotone movement, 396  
 recovery, 531  
 red squirrel, 708  
 Red-cockaded Woodpeckers, 213  
 regional change vs. global change, 441  
 remote imaging, 369  
 reproductive divergence, 230  
 reserve design, 294  
 resource allocation, 271  
 resource competition, 92  
 restoration, 123, 294  
 Richardson, C. J., 446  
 riparian corridor, 209  
 riparian function, 441  
 riparian vegetation, 307  
 Risenhoover, K. L., 497  
 Risser, P. G., 37, 367  
 Rittenhouse, L. R., 21  
 river margins, 441  
 riverine biodiversity, 531  
 rivers, 531  
 root biomass, 644  
 Rossi, R. E., 719  
 Rubenstein, D. I., 585  
 Rudd, N. T., 682  
 Rudnicki, T. C., 357  
 Rusek, J., 409

## S

Sacramento River drainage, 246  
 Sala, O. E., 564  
 salinity effects, 595  
 salt marsh, 123  
 Salwasser, H., 587  
 sample size, 351  
 sampling, 351  
 Schroeter, S. C., 331  
 sciurids, 708  
 seagrass, 610  
 Seastedt, T. R., 10, 175  
 secondary production, 610  
 sediment, 424  
 seed bank, 682  
 seed distribution, 53  
 seed dormancy, 42, 74  
 seedling emergence, 74

seeds, 53  
selectivity, 27, 497  
semi-arid rangelands, 2, 21, 27  
sensitivity of ecotones to environmental change, 367  
sensory irritant, 262  
Serengeti, 17  
serial correlation, 331  
*Setaria glauca*, 74  
*Setaria viridis*, 74  
Sevilleta, New Mexico, 369  
shade tolerance, 315  
shaping public opinion, 2  
shrubland, 417  
Sibley, T. H., 139  
Sierra Nevada, California, 322  
silviculture, 213  
simulation models, 481  
Slobodkin, L. B., 571  
Smith, R. O., 331  
snag population dynamics vs. fire history, 322  
snags, 322  
social science information cf. ecological information, 377  
Socolow, R. H., 581  
soil animals, 409  
soil environment, 42  
soil moisture, 167  
soil organic matter storage, 666  
soil pH, 409  
soil solution chemistry, 156  
soils, 409  
sole cropping, 92  
Sonoran Desert, Arizona, 307  
source-sink carbon movements, 654  
southern pine beetle, 187  
Southwest, 35  
soybean, 74, 84  
space/time scales and hierarchy of ecotones, 367  
*Spartina foliosa*, 123  
spatial and temporal variability, 441  
spatial distribution, 424  
spatial heterogeneity, 187  
spatial simulation model of vegetation dynamics, 279  
spatial statistics, 294  
spatiotemporal trapping, 518  
specificity of growing conditions, 37  
spider mites, 699  
spruce-fir forests, 473  
squawfish, 246  
standing dead trees, 322  
starling, 262  
statistical power, 221, 331  
Steggall, J. W., 271  
stem water potential, 307

Steudler, P. A., 156  
stochastic conditional simulation, 719  
stream fishes, 246  
streamflow regulation, 531  
*Strix occidentalis caurina*, 213  
Stromberg, J. C., 307  
sucrose, 256  
sulfur, 459  
Sullivan, T. P., 708  
supplementation, 230, 497  
survival, 53  
sustainability forum, 545-587  
sustainability of grazed systems, 24  
sustainable agriculture, 74

## T

tallgrass prairie, 175, 644  
*Tamiasciurus hudsonicus*, 708  
Tatra National Park, Slovak Republic, 409  
Taub, F. B., 139  
temporal and spatial scales, 10  
Thoeny, W. T., 187  
threatened wildlife, 213  
threshold, 369  
throughfall, 473  
tillage, 53, 92  
time budget, 631  
tolerance, 271  
Tollefson, J. J., 719  
tomato, 271  
transients, 708  
transition, 369  
tree decay, 322  
Tress, J. A., 307  
Trlica, M. J., 21  
turbidity, 331  
Turchin, P. B., 187  
Turner, C. L., 10, 175  
Twiss, J. R., Jr., 573  
two-timing, 666  
*Tyria jacobaeae*, 682

## U

unionid, 351  
United Nations resolutions on driftnets, 221  
Upper Coastal Plain, 167  
Urban, D. L., 481

## V

vegetation, 385  
vegetation change vs. water-level change, 279  
vegetation characteristics vs. water availability, 307

## W

Wagner, S. W., 74  
water, 424  
water gradients, 307  
water stress, 167  
water stress integral, 167  
water table reduction, 307  
water-use efficiency, 644  
waterfowl habitat, 279  
watershed, 424  
weed, 53, 682  
weed control, 74  
weed ecophysiology, 92  
weed management, 92  
weed population ecology, 92  
weed seed bank, 42  
weed-crop interaction, 84  
Welter, S. C., 271  
western Great Lakes, 294  
western rangelands, 35  
wet deposition, 459  
wetland, 123, 424  
wetland hydrology, 279  
Whicker, F. W., 590  
White Clay Lake, Wisconsin, 424  
White, M. A., 294  
white-tailed deer, 497  
Wiens, J. A., 595  
Wigley, T. B., 213  
Wilcove, D. S., 218  
wildlife management, 279, 518  
Wilkins, S. D., 307  
wind, 404, 424  
Wisconsin, 294  
Woodward, F. I., 404

## X

xylem pressure potential, 644

## Y

Yellowstone National Park, 35  
Young, R. C., 351

## Z

Zedler, J. B., 123, 577  
Zhang, L., 743  
Zutter, B. R., 167

**EXTENT AND NATURE OF CIRCULATION.** Average number of copies of each issue published during the preceding twelve months: (A) total number of copies printed, 3500; (B.1) sales through dealers and carriers, street vendors and counter sales, 0; (B.2) paid mail subscriptions, 2540; (C) total paid circulation, 2540; (D) samples, complimentary, and other free copies, 72; (E) total distribution, 2612; (F.1) office use, left over, unaccounted, spoiled after printing, 888; (F.2) returns from news agents, 0; (G) total, 3500. Actual number of copies of single issue published nearest to filing date: (A) total number of copies printed, 3500; (B.1) sales through dealers and carriers, street vendors and counter sales, 0; (B.2) paid mail subscriptions, 2831; (C) total paid circulation, 2831; (D) samples, complimentary, and other free copies, 72; (E) total distribution, 2903; (F.1) office use, left over, spoiled after printing, 597; (F.2) returns from news agents, 0; (G) total, 3500.

